



2 Cabins - 1 Toilet



3 Cabins - 1 Toilet

GENERAL SPECIFICATIONS

| | |
|---|----------|
| • L.O.A | 11.48 m |
| • Length of hull | 11.13 m |
| • L.W.L. | 10.40 m |
| • Width of hull | 3.92 m |
| • Lightweight | 6 515 kg |
| • Draft Standard Deep draught keel Cast iron | 1.90 m |
| • Draft Optional extra Shallow draught keel Cast iron | 1.40 m |
| • Air draught | 16.65 m |
| • Freshwater capacity | 346 l |
| • Fuel tank capacity | 130 l |
| • Engine power | 29 HP |

ARCHITECTS / DESIGNERS

- Architect Naval: Finot - Conq et associés
- Architecture interior: Nauta Design

EC CERTIFICATE

- Category A - 8 persons
- Category B - 9 persons
- Category C - 10 persons

STANDARD SAIL LAYOUT AND AREA

| | |
|------------------|------------------------------|
| • Mainsail | 34.80 m ² |
| • Genoa | 105 % - 33.00 m ² |
| • Asymmetric spi | 85 m ² |
| • I | 13.98 m |
| • J | 4.55 m |
| • P | 13.25 m |
| • E | 3.90 m |

STANDARD EQUIPMENT

CONSTRUCTION

- Design made following European Directive requirements and according to EC certification
- Monolithic hull design in polyester
- Monolithic structural counter moulding laminated and stuck to hull
- Deck in balsa and glass fibre sandwich covered in «diamond point» type non-slip surface
- Deck hull join screwed, stuck and banded with 1 solid wood bulwark, screwed
- Cast iron keel fixed with bolts and stainless steel veneer and stuck
- Hung rudder with stainless steel stock
- White coloured hull - Hull decorated in pearl grey

DECK EQUIPMENT

RIGGING

- Standard mast 9/10 electro-polished aluminium installed on the deck, 2 level(s) of advanced cross trees
- Boom in anodised aluminium
- Standing rigging in single-strand stainless steel (Forestay, Shrouds, Lower shroud, Backstay)
- 2 Backstays with turnbuckles
- 1 Forestay Classical
- 1 Rigid boom down-haul with tackle
- 1 Genoa furling system with drum on the deck
- 1 Mainsail sheet track
- 2 genoa sheet tracks with piston adjusted traveller cars - 2 Genoa sheet return blocks
- Rigging run back to cockpit (except boom topping lift - Foot tuning line)
- Complete running rigging: 1 Main halyard - 1 genoa halyard with clutch on mast and cleat - Boom topping lift with cleat on mast - 1 Mainsail foot - 1 Main sheet on traveller - 2 Genoa sheets - 2 fast reefing ropes
- 5 clutches to port
- 3 Bollards

WINCHES

- 2 Self-tailing genoa sheet winches (H46.2 STC)
- 1 Rigging winch self tailing on deck house port side (H35.2 STC)
- 1 Winch handle aluminium
- 1 Winch handle box

SAILS

- 1 Furling genoa with UV protective strip
- Semi full batten written sail with slider and roller slider
- Lazy Jack and Easy bag in Perle colour

MOORING -ANCHORING

- Self-bailing chain locker - Clench bolt - Hatch cover
- 1 Stainless steel bow fitting - 1 Stem roller
- Mechanically welded stainless steel roller
- 6 Aluminium mooring cleats - Stainless steel deck line protection

PERSONNEL GUARDS

- 1 Half-open stainless steel forward pulpit - Step
- 2 stainless steel aft pushpits
- 1 Ring lifebuoy bracket
- 1 Flag pole socket
- Double stainless steel guardrails, Stainless steel stanchions

COCKPIT

- Cockpit bottom self bailing in polyester
- 1 Wet locker to port (Life raft storage, Gas box 2 bottles)
- 1 Starboard locker (Sail locker)
- 1 Locker next to tiller seat to starboard
- Cockpit benches decked in natural solid wood
- 1 Steering wheel console: Leather covered steering wheel (1100 mm diameter) - 1 Rudder system on column - 1 metal cable transmission system - 1 Stainless steel guard rail - navigation instrument stand (optional instruments) - 1 Compass on binnacle
- Engine control - Control panel to starboard
- 1 Deck hole for access to tiller system - 1 Emergency tiller
- Companionway hatch and door in PMMA

SUN DECK AND UPPER STERN

- Vertical opening access door assisted by gas piston Stainless steel
- 1 Stainless steel swimming ladder
- 1 Cockpit shower spray cold water

FITTINGS

- Alpi woodwork in fruit tree colour
- Parquet type laminated floors
- Hull spar ceilings in cabins + in the saloon

COMPANIONWAY

- Height to deck beam: 1.93 m
- Companionway and steps in polyester
- 2 Stainless steel guardrails (Version 2 aft cabin(s)) - 1 Stainless steel guardrails (Version 1 aft cabin(s))
- 1 Fixed zenital window with curtain

FORWARD CABIN

- Height to deck beam: 1.91 m
- Central double bed (2.10 m x 0.42 m x 1.87 m), Marine mattress
- Hanging locker - shelves - Cubby hole lockers - Storage - Dressing table
- 1 Removable seat
- 1 Opening hatch(es) with curtain

SALOON

- Height to deck beam: 1.92 m
- U shaped saloon bench to port, double density foam
- 1 Starboard bench seat
- 4 Matching decorative cushions
- Saloon table with wooden mounting
- Cubby hole lockers - Storage space along the hull - Bar storage space - Storage under bench seats
- 1 Port side window with curtain
- 1 Starboard side window with curtain
- 2 opening porthole in side window - To port
- 1 opening porthole in side window - To starboard
- 2 Hull portholes with curtain
- 1 Opening deck hatch(es) with curtain

GALLEY TO PORT

- Height to deck beam: 1.92 m
- L-shaped kitchen
- White laminated worktop
- 2 Rectangular stainless steel sinks
- 1 Mixer tap cold water / hot under pressure
- 1 2 hob gas cooker on mounting - 1 safety bar
- 1 Refrigerator 110 litre front opening - Refrigeration unit 12 V
- 1 Dresser with drain system - Closure / Cutting board
- Cupboard - Fitted storage space and lockers
- 1 Rubbish bin
- 1 Porthole opening onto coaming in side window

CHART TABLE TO STARBOARD

- Facing companionway
- Chart table with flaps and glove boxes- Moulded wood beading
- Pivoting electrical panel enabling access to electrical connections
- 1 White light fitting / Red
- Storage cupboards and lockers with crockery rack
- 1 opening porthole(s) in side window (2 cabin version)

STARBOARD AFT WASHROOM

- Height to deck beam: 1.92 m
- Access through saloon
- Washroom moulded in one piece to be watertight
- Shower tray
- Worktop with washbasin
- 1 Mixer tap / Shower hot / cold water
- 1 Manual marine toilet
- 1 Rigid sewage water tank 80L
- 1 Mirror
- Toilet accessories: Rubbish bin, Paper dispenser, peg, towel rail
- Storage cupboard and lockers (1 In version 3 Cabins - 2 In version 2 Cabins)
- 1 Porthole(s) opening onto coaming with curtain
- 1 Opening porthole(s) with curtain on the cockpit end wall (2 cabin version)

AFT CABIN(S)

Version 1 forward cabin - 2 AFT cabin - 1 Toilet

- Height to deck beam: 1.94 m
- 2 Symmetrical aft cabin(s) with larger access to port cabin including:
- Height to deck beam: 1.94 m about
- Double bed (1.95 m x 1.55 m x 1.29 m), Marine mattress
- 1 Hanging locker
- 1 Porthole(s) opening onto coaming with curtain
- 1 Opening porthole(s) with curtain on the cockpit end wall

Version 1 forward cabin - 1 AFT cabin - 1 Toilet

- Height to deck beam: 1.94 m
- 1 Double bed(2.25 m x 1.60 m) - Marine mattress
- Bench seat - Bed access sideboard
- Hanging locker, Storage - Glove box
- 1 Porthole(s) opening onto coaming with curtain
- 1 Opening porthole(s) with curtain on the cockpit end wall

ENGINE

- Engine Yanmar Diesel 29 hp
- Engine control - fitted in cockpit
- Engine compartment: Soundproofing foam - Ventilation: 1 air intake and 1 pressured air outlet
- 1 ALTERNATOR 12 V / 80 Ah
- 1 Rotation moulded diesel tank 130 L (under starboard aft berth) - Electronic gauge - Low level alarm - 1 Deck filler
- Filters: Sea water - Diesel - Decanter
- Stainless steel shaft line - Polyester guard moulded into hull
- Fixed three blade propeller
- 1 Engine access through companionway (opening with 2 gas pistons)
- 2 Engine access through aft cabins (3 cabin version) or in the washroom and the aft cabin (2 cabin version)

ELECTRICITY

- 12 V circuit
- 1 service batteries 110 Amperes (Port aft cabin)
- 1 Battery for engine 70 Amperes (Port aft cabin)
- 1 Charge divider
- Electrical panel 12 V (Fuses - Voltmeter - 1 Water gauge - 1 Fuel gauge - 1 Low battery charge warning - 1 Low diesel and water tank warning)
- 1 Socket(s)12 V
- Lighting: 1 Fluorescent lamp White, Halogen ceiling lights, 1 White/red light fitting
- Navigation lights: 1 navigation light(s)fore and aft - 1 Engine navigation light / Crosstree light forward of mast - 1 Mooring light on masthead
- Wire runs for options cables

PLUMBING

- 2 rotation moulded freshwater tanks (130 L port aft cabin - 206 L forward cabin) - 2 Stainless steel water deck fillers - Separate tank filling - Tank selection with ¼ by-pass valves
- Pressurised electric water pump - Expansion chamber - System protection filter
- 1 Electric water heater 25 L (engine run)
- 1 Rigid sewage water tank 80L
- Electric shower drain pump
- 2 Bilge pumps (1 Manual bilge pump - 1 Electric bilge pump)
- 1 Electric ice box drain pump

GAS

- 2 Gas bottle box(es) in the cockpit
- Pressure reducing valve and safety tap

TRIM LEVEL

| | AVANTAGE | ELEGANCE |
|--|----------|----------|
| 1 Notch color TFT ST70 RAYMARINE (Loch speedo sounder) | ■ | ■ |
| Electric windlass Quick 1000 W upward / Companionway - Remote control | ■ | ■ |
| High cupboards along hull - Drawer under the bed - Removable seat in forward cabin | ■ | ■ |
| Draining rack in dresser | ■ | ■ |
| Radio CD player / MP3 - 2 Interior loudspeakers - 2 Outside loudspeakers | ■ | ■ |
| Complete 220V electrical system (Inside sockets - Battery charger 25 Amperes - Shore power socket) | ■ | ■ |
| 1 Additional service batteries 110 amperes | ■ | ■ |
| Polyester/wood cockpit table - Socket 12 V - lamp with shade - White PVC protective cover | | ■ |
| Shore freshwater supply | | ■ |
| Hot/cold water cockpit shower hose | | ■ |
| Companionway steps covered in wood | | ■ |
| Leather covering on stainless steel guardrails - Stainless steel beading in saloon cubbyhole lockers | | ■ |
| Freshwater foot pump - Sea water | | ■ |
| Mirror on forward partition of fore cabin | | ■ |
| PMMA shower partition in aft washroom (2 cabin version) | | ■ |
| 1 Additional mirror(s) in toilet closet (3 cabin version) | | ■ |
| 2 Additional mirror(s) in toilet closet (2 cabin version) | | ■ |
| Delayed shower draining | | ■ |
| 1 Additional opening cockpit porthole(s) to port in aft cabin(s) | | ■ |
| 1 Port opening aft platform porthole(s) in aft cabins | | ■ |
| Mosquito blinds / Blackouts on deck hatches | | ■ |

OPTIONS

PACKS

PACK ELECTRONIC RAYMARINE

- Pickups Anemometer wind indicator ST70
- Multifunction screen C80 colour 8,4' (GPS, tracker, Cartography chart mapper Navionics Gold, supplied without chart)
- PC interface

PACK EASY DOCKING

- Side openings in guardrails
- Additional bow roller
- White PCV steering wheel and console covers
- Mooring kit: (Anchor Britany 16 kg, 25 M of 10 mm chain, 38 M 18 mm rope) - 4 Mooring ropes - 6 Fenders

OTHER OPTIONS

- Auto pilot SPX ST70 - LSRV2 - Integrated gyrocompass - Control panel on steering console
- Radar - radome only RAYMARINE
- Remote pilot control, Wireless instruments repeater Smartcontroller RAYMARINE
- VHF RAYMARINE 49 E

- Steel blue colour hull - Hull decorated in pearl grey
- Electro-polished mast furling system with sail
- Wind indicator windex
- 2 flag halyards
- Asymmetric spinnaker rigging
- Asymmetric spinnaker rigging and boom
- Easy Sail (Genoa traveller adjustment from cockpit - Clutches on genoa sheet foot blocks - Backstay adjustment(s) - Winch handle Harken Speed Grip - 1 Winch handle box additional - Emergency rope cutter)
- Releasable fore-stay chain-plate
- Bow thruster
- 3 retractable blades propeller
- Solid wood decked catwalks plain
- Cockpit bottom and rear platform decked in natural solid wood
- Outboard engine bracket
- Perle deck house hood
- Cockpit Bimini top Perle
- PVC cockpit cushions
- Berth in saloon
- Crockery kit marked Bénéteau
- Microwave oven
- Heating
- Electric toilet
- Porthole mosquito nets